

Mini Tool



PS-6200 2" Angle Random Orbital Sander

- The tool is ideal for sanding of metal and body filler, rust removal, and virtually all automotive smoothing of surfaces.
- Small sanding pad allows the operator to reach small areas.
- Random orbit allows maximum operator control and finish.
- Rear exhaust to keep airflow away from work area.
- High power motor for consistent performance & efficient sanding.
- Grease fitting allows direct lubrication of gears.

Contents

- PS-6200 with Black Grip x 1pc
- 14mm spanner x 1pc



PS-6201 0.3HP 2" Angle Random Orbital Sander

- Mini 2" sander offers ultimate flexibility, allowing access to confined spaces.
- Random orbit allows maximum operator control and finish.
- Rear exhaust to keep airflow away from work area.
- High power motor for consistent performance & efficient sanding.
- Grease fitting allows direct lubrication of gears.

Contents

- PS-6201 with Black Grip x 1pc
- 14mm spanner x 1pc

Specification

Model No.	Free Speed	Motor		Orbital Dim.	Pad Dia.		Spindle Size	Avg. Air Cons.		Tool Length		Tool Weight	
	rpm	HP	w	mm	inch	mm	inch	cfm	l/min	inch	mm	lbs	mm
PS-6200	5000	0.3	224	2	2	50	1/4 -20	9.9	283	5.66	144	1.14	0.52
PS-6201	19000	0.3	224	2	2	50	1/4 -20	9.9	283	4.88	124	1.14	0.52



PS-6202 0.3HP 2" Air Angle Sander

- Mini 2" Angle Sander offers ultimate flexibility, allowing access to confined spaces.
- Compact & lightweight design provides comfortable one-hand operation.
- High power motor for consistent performance & efficient sanding.
- Rear exhaust to keep airflow away from work area.
- Grease fitting allows direct lubrication of gears.

Contents

- PS-6202 with Black Grip x 1pc
- 2" Sanding Pad x 1pc
- 14mm spanner x 1pc



PS-6203 0.3HP 2" Air Angle Sander

- Mini 2" Angle Sander offers ultimate flexibility, allowing access to confined spaces.
- Compact & lightweight design provides comfortable one-hand operation.
- High power motor for consistent performance & efficient sanding.
- Rear exhaust to keep airflow away from work area.
- Grease fitting allows direct lubrication of gears.

Contents

- PS-6203 with Black Grip x 1pc
- 2" Roll-on Holder x 1pc
- 14mm spanner x 1pc

Specification

Model No.	Free Speed	Motor		Orbital Dim.	Pad Dia.		Spindle Size	Avg. Air Cons.		Tool Length		Tool Weight	
	rpm	HP	w	mm	inch	mm	inch	cfm	l/min	inch	mm	lbs	mm
PS-6202	19000	0.3	224	2	2	50	1/4 -20	9.9	283	5.39	137	0.92	0.42
PS-6203	19000	0.3	224	2	2	50	1/4 -20	9.9	283	4.56	116	0.93	0.42

Mini Tool



PD-2900 0.3HP Mini Straight Air Drill

- Mini 1/4" Air Drill offers ultimate flexibility, allowing access to confined spaces.
- Ideal for car bodywork and industrial working.
- Palm size & lightweight design provides comfortable one-hand operation.
- Rear exhaust to keep airflow away from work area.
- High power motor for consistent performance.

Contents

- PD-2900 with Black Grip x 1pc
- Chuck Key x 1pc



PD-2901 0.3HP Mini Air Angle Drill

- The low-speed, high-torque feature ideal for car body polishing, deburring, and grinding.
- Compact & lightweight design provides comfortable one-hand operation.
- High power motor for consistent performance.
- Grease fitting allows direct lubrication of gears.

Contents

- PD-2901 with Black Grip x 1pc
- Chuck Key x 1pc

Specification

Model No.	Free Speed	Chuck Size		Spindle Size	Cylinder Capacity		Avg. Air Cons.		Tool Length		Tool Weight		Air Hose	Sound Pressure	Vibration Level
	rpm	inch	mm	inch	inch	mm	cfm	l/min	inch	mm	lbs	mm	inch	dB(A)	m/s ²
PD-2900	7000	1/4	6	3/8 -24	1/32-1/4	0.6-6	4.6	130	5.5	140	1.1	0.5	3/8	83	<2.5
PD-2901	5000	1/4	6	3/8 -24	1/32-1/4	0.6-6	4.6	130	5.47	139	1.36	0.62	3/8	83	<2.5



PP-0016 0.3HP Mini Air Tire Buffer

- Ideal for patchwork, roughing areas for recapping and cleaning tire moldings.
- Compact & lightweight design provides comfortable one-hand operation.
- Rear exhaust to keep airflow away from work area.
- High power motor for consistent performance.
- Equipped with quick change chucks with threaded adapter 3/8"-24.

Contents

- PP-0016 with Black Grip x 1pc
- QC Chuck x 1pc
- 7/16" x Adapter x 1pc



PT-3010 Reciprocating Mini Air Saw

- Compact & one-handed design suitable for car body panels, beams, and profile repairing work.
- Low vibration provides smoother operation and longer service life.
- Suitable for all types of aluminum, plastic, fiberglass and sheet metal cutting.
- Ideal for cutting intricate shapes and tight radius curves on flat and curved surfaces.

Contents

- PT-3010 with Black Grip x 1pc
- File x 1pc
- 24T Saw x 2pc
- 32T Saw x 2pc
- 2mm Hex.Wrench x 2pc
- 3mm Hex.Wrench x 2pc

Specification

Model No.	Free Speed	Motor		Chuck Size		Spindle Size		Avg. Air Cons.		Tool Length		Tool Weight		Air Hose
	rpm	HP	w	inch		inch		cfm	l/min	inch	mm	lbs	mm	inch
PP-0016	7000	0.3	224	Hex.7/16		3/8 -24		4.6	130	5.86	149	1.36	0.62	3/8
Model No.	Free Speed	Stroke Length		Cutting Tube Capacity		Avg. Air Cons.		Tool Length		Tool Weight		Air Hose	Sound Pressure	
	rpm	inch	mm	inch	mm	cfm	l/min	inch	mm	lbs	mm	inch	dB(A)	
PT-3010	7000	0.3	8	3/8	10	4.6	130	6.7	170	1.2	0.5	1/4	80.4	

Mini Tool



PG-0310 0.3HP Mini Air Die Grinder

- Collect Size for option: 3mm.6mm.1/4".1/8"
- Mini Air Die Grinder offers ultimate flexibility, allowing access to confined spaces.
- Ideal for grinding, polishing and engraving work.
- Rear exhaust to keep airflow away from work area.
- High power motor designed for all tight grinding situations.

Contents

- PG-0310 with Black Grip x1
- 12mm spanner x2
- 17mm spanner x2



PG-0311 0.3HP 5" Extension Mini Air Die Grinder

- Collect Size for option: 3mm.6mm.1/4".1/8"
- Mini Air Die Grinder offers ultimate flexibility, allowing access to confined spaces.
- Ideal for grinding, polishing and engraving work.
- Rear exhaust to keep airflow away from work area.
- High power motor designed for all tight grinding situations.
- Option: 5" extension bar. (Unlimited length)

Contents

- PG-0311 with Black Grip x1
- 12mm spanner x2
- 17mm spanner x2

Specification

Model No.	Free Speed	Motor		Collet Size		Avg. Air Cons.		Tool Length		Tool Weight		Air Hose
	rpm	HP	w	inch	mm	cfm	l/min	inch	mm	lbs	mm	inch
PG-0310	25000	0.3	224	1/8 or 1/4	3 or 6	9.9	283	4.8	122	0.66	0.3	3/8
PG-0311	25000	0.3	224	1/8 or 1/4	3 or 6	9.9	283	9.6	244	0.92	0.42	3/8



PG-3304 0.3HP Mini Angle Die Grinder

- Collect Size for option: 3mm.6mm.1/4".1/8"
- Mini Angle Die Grinder offers ultimate flexibility, allowing access to confined spaces.
- Ideal for grinding, polishing and engraving work.
- Rear exhaust to keep airflow away from the hand.
- High power motor designed for all tight grinding situations.
- Grease fitting allows direct lubrication of gears.

Contents

- PG-3304 with Black Grip x1
- 12mm spanner x2
- 17mm spanner x2



PG-3305 0.3HP 5" Extension Air Angle Die Grinder

- Collect Size for option: 3mm.6mm.1/4".1/8"
- Mini Angle Die Grinder offers ultimate flexibility, allowing access to confined spaces.
- Ideal for grinding, polishing and engraving work.
- Rear exhaust to keep airflow away from the hand.
- High power motor designed for all tight grinding situations.
- Grease fitting allows direct lubrication of gears.
- Option: 5" extension bar. (Unlimited length)

Contents

- PG-3305 with Black Grip x1
- 12mm spanner x2
- 17mm spanner x2

Specification

Model No.	Free Speed	Motor		Collet Size		Avg. Air Cons.		Tool Length		Tool Weight		Air Hose
	rpm	HP	w	inch	mm	cfm	l/min	inch	mm	lbs	mm	inch
PG-3304	19000	0.3	224	1/8 or 1/4	3 or 6	9.9	283	4.56	116	0.92	0.42	3/8
PG-3305	19000	0.3	224	1/8 or 1/4	3 or 6	9.9	283	9.37	238	1.34	0.61	3/8

Mini Tool



PG-8301 0.3HP 2" Angle Grinder with 2" Grinding and Cutting Wheel

- Mini 2" Angle Grinder / Cutting offers ultimate flexibility, allowing access to confined spaces.
- Palm size & lightweight design provides comfortable one-hand operation.
- Rear exhaust to keep airflow away from the hand.
- High power motor for consistent performance & efficient cutting.
- Grease fitting allows direct lubrication of gears.

Contents

- PG-8301 with Black Grip x1
- 14mm spanner x1
- 4mm Hex. Wrench x1
- 2" Grinding and Cutting wheel and washer x1



PG-8302 0.3HP Extension Angle Grinder with 2" Grinding and Cutting Wheel

- Mini 2" Angle Grinder / Cutting offers ultimate flexibility, allowing access to confined spaces.
- Palm size & lightweight design provides comfortable one-hand operation.
- Rear exhaust to keep airflow away from the hand.
- High power motor for consistent performance & efficient cutting.
- Grease fitting allows direct lubrication of gears.
- Option: 5" extension bar. (Unlimited length)

Contents

- PG-8302 with Black Grip x1
- 14mm spanner x1
- 4mm Hex. Wrench x1
- 2" Grinding and Cutting wheel and washer x1

Specification

Model No.	Free Speed	Motor		Avg. Air Cons.		Tool Length		Tool Weight		Air Hose
	rpm	HP	w	cfm	l/min	inch	mm	lbs	mm	inch
PG-8301	19000	0.3	224	9.9	283	4.56	116	0.92	0.42	3/8
PG-8302	19000	0.3	224	9.9	283	9.37	238	1.54	0.7	3/8



PT-0005 0.3HP 3" Extension Mini Air Cutter

- Mini 3" Air Cutter offers ultimate flexibility, allowing access to confined spaces.
- Rear exhaust to keep airflow away from the hand.
- Protective guard giving operator added protection.
- Compact & lightweight design provides comfortable one-hand operation.
- High power motor for consistent performance & efficient cutting.

Contents

- PT-0005 with Black Grip x 1pc
- 14mm spanner x 1pc
- 4mm Hex. Wrench x 1pc
- 3" Cutting wheel x 1pc



PT-0006 0.3HP 5" Extension Mini Air Cutter

- Mini 3" Air Cutter offers ultimate flexibility, allowing access to confined spaces.
- Rear exhaust to keep airflow away from the hand.
- Protective guard giving operator added protection.
- Compact & lightweight design provides comfortable one-hand operation.
- High power motor for consistent performance & efficient cutting.
- Option: 5" extension bar. (Unlimited length)

Contents

- PT-0006 with Black Grip x 1pc
- 14mm spanner x 1pc
- 4mm Hex. Wrench x 1pc
- 3" Cutting wheel x 1pc

Specification

Model No.	Free Speed	Motor		Avg. Air Cons.		Tool Length		Tool Weight		Air Hose
	rpm	HP	w	cfm	l/min	inch	mm	lbs	mm	inch
PT-0005	19000	0.3	224	9.9	283	7.4	190	1.4	0.64	3/8
PT-0006	19000	0.3	224	9.9	283	9.37	238	1.54	0.7	3/8