

NEW **Impact Wrench**



PW-0422 1/2" Super Duty Air Impact Wrench

- New Patent One-Hand Operation: Fits comfortably in left and right-handed users
- Metal body with huge output torque for tough nut at confined area
- Low-profile design weighs just 1.4 kgs and provides superior accessibility
- Reinforced Aluminum housing and alloy steel front bushing combine to produce a great feeling and very durable tool
- 3-position power regulator lets you easily adjust torque output
- Tease trigger provides variable speed control



PW-0390 3/8" Ultra Compact Angle Air Impact Wrench

- Lightweight body less than 3lbs reduces fatigue of long time use
- Great for front end and transmission work
- The gearless angle head reduces vibration, increases torque performance, as well as ensure long lasting durability
- Robust impact mechanism provides high torque while remaining easy to control
- 3.46 inch Compact all-metal tool head fits into more areas than traditional impacts
- 3 Forward and Reverse Power Settings



PW-0490 1/2" Ultra Compact Angle Air Impact Wrench

- Lightweight body less than 3lbs reduces fatigue of long time use
- Great for front end and transmission work
- The gearless angle head reduces vibration, increases torque performance, as well as ensure long lasting durability
- Robust impact mechanism provides high torque while remaining easy to control
- 3.46 inch Compact all-metal tool head fits into more areas than traditional impacts
- 3 Forward and Reverse Power Settings

Specification

Model No.	Square Drive	Free Speed	Max. Torque		Avg. Air Cons.		Overall Length		Net Weight		Air Hose	Sound Pressure	Vibration Level	Air Inlet	Clutch Type
	inch	rpm	ft-lb	Nm	cfm	l/min	inch	mm	lb	kg	inch	dBA	m/s ²	inch	inch
PW-0422	1/2	9000	650	880	5.5	156	4.3	110	3	1.4	3/8	TBD	TBD	1/4	Jumbo Hammer
PW-0390	3/8	9000	450	610	TBD	TBD	3.5	88	3	1.4	3/8	88	2.8	1/4	Jumbo Hammer
PW-0490	1/2	9000	450	610	TBD	TBD	3.5	88	3	1.4	3/8	88	2.8	1/4	Jumbo Hammer



NEW **Impact Wrench**



PW-7421 Extreme Composite 1/2" Air Impact Wrench

- Extreme Powerful & Lightweight: Max torque is increased by 15%, and weight is reduced by 23%
- Magnesium alloy, front case and back cover reduces the weight only at 1.7kgs
- High precision machined steel alloy casting motor cylinder with heat treatment enables the long durability of the air motor
- Twin Hammer mechanism with reinforced process to enhance durability and steady powerful torque at 1282Nm
- 7 vanes with spring attachment design to ensure the stability of the torque output
- Adjustable torque, 3 forward power setting and full power reverse



PW-7604 Mini Type Extreme Composite 3/4" Air Impact Wrench

- Extreme Powerful & Lightweight: Max torque is increased by 15%, and weight is reduced by 20%
- Standard 1/2" air impact wrench but anvil with 3/4" square drive provides shorter & lightweight body, and max torque
- Magnesium alloy, front case and back cover reduces the weight only at 1.9kgs
- High precision machined steel alloy casting motor cylinder with heat treatment enables the long durability of the air motor
- Twin Hammer mechanism with reinforced process to enhance durability and steady powerful torque at 1828Nm
- 7 vanes with spring attachment design to ensure the stability of the torque output



PW-7603 Extreme Composite 3/4" Air Impact Wrench

- Extreme Powerful & Lightweight: weight is reduced by 18%
- Magnesium alloy, front case and back cover reduces the weight only at 3.1kgs
- High precision machined steel alloy casting motor cylinder with heat treatment enables the long durability of the air motor
- Twin Hammer mechanism with reinforced process to enhance durability and steady powerful torque at 2092Nm
- 7 vanes with spring attachment design to ensure the stability of the torque output
- Adjustable torque, 3 forward power setting and full power reverse, embedded design of the torque switch to prevent torque changing accidentally



PW-7802 Mini Type Extreme Composite 1" Air Impact Wrench

- Extreme Powerful & Lightweight: weight is reduced by 17%
- Standard 3/4" air impact wrench but anvil with 1" square drive provides shorter & lightweight body, and max torque
- Magnesium alloy, front case and back cover reduces the weight only at 3.2kgs
- High precision machined steel alloy casting motor cylinder with heat treatment enables the long durability of the air motor
- Twin Hammer mechanism with reinforced process to enhance durability and steady powerful torque at 2092Nm
- 7 vanes with spring attachment design to ensure the stability of the torque output



PW-7801 Extreme Composite 1" Air Impact Wrench

- Extreme Powerful & Lightweight: Max torque is increased and weight is reduced
- Magnesium alloy, front case and back cover reduces the weight only at 5.9kgs
- High precision machined steel alloy casting motor cylinder with heat treatment enables the long durability of the air motor
- Twin Hammer mechanism with reinforced process to enhance durability and steady powerful torque at 3105Nm
- 7 vanes with spring attachment design to ensure the stability of the torque output
- Adjustable torque, 3 forward power setting and full power reverse, embedded design of the torque switch to prevent torque changing accidentally



PW-7860 Long Anvil Extreme Composite 1" Air Impact Wrench

- Extreme Powerful & Lightweight: Max torque is increased and weight is reduced
- Magnesium alloy, front case and back cover reduces the weight only at 6.8kgs
- High precision machined steel alloy casting motor cylinder with heat treatment enables the long durability of the air motor
- Twin Hammer mechanism with reinforced process to enhance durability and steady powerful torque at 3105Nm
- 7 vanes with spring attachment design to ensure the stability of the torque output
- Adjustable torque, 3 forward power setting and full power reverse, embedded design of the torque switch to prevent torque changing accidentally

Specification

Model No.	Square Drive		Free Speed		Max. Torque		Avg. Air Cons.		Overall Length		Net Weight		Air Hose	Sound Pressure	Vibration Level	Air Inlet	Clutch Type
	inch	rpm	ft-lb	Nm	cfm	l/min	inch	mm	lb	kg	inch	mm	inch	dBA	m/s ²	inch	inch
PW-7421	1/2	8500	950	1282	5.5	158	6.9	149	3.6	1.7	3/8		85	4.7	1/4	Twin Hammer	
PW-7604	3/4	8500	950	1282	5.5	158	7.8	198	4	1.9	3/8		91.5	8.1	1/4	Twin Hammer	
PW-7603	3/4	6000	1550	2092	7	198	8.2	209	6.7	3.1	3/8		TBD	TBD	3/8	Twin Hammer	


Specification

Model No.	Square Drive		Free Speed		Max. Torque		Avg. Air Cons.		Overall Length		Net Weight		Air Hose	Sound Pressure	Vibration Level	Air Inlet	Clutch Type
	inch	rpm	ft-lb	Nm	cfm	l/min	inch	mm	lb	kg	inch	mm	inch	dBA	m/s ²	inch	inch
PW-7802	1	6000	1550	2092	7	198	8.2	209	6.4	3.2	3/8		96.5	8.6	3/8	Twin Hammer	
PW-7801	1	5500	2300	3105	7.5	212	11	256	13	6	1/2		96.5	8.6	1/2	Twin Hammer	
PW-7860	1	5500	2300	3105	7.5	212	16.4	417	15	6.8	1/2		96.5	8.6	1/2	Twin Hammer	

NEW Impact Wrench

PW-0410 Compared with other products

1/2" Light/Mini Metal Air Impact Wrench



POWER Torque Increase 26%

WEIGHT Weight Reduce 75%

Features

- Best power-weight ratio : 1017Nm and 1.5kg on weight
- Ultra compact 113mm in tool length
- Durable twin hammer impact mechanism
- Housing made of steel and aluminum
- 3 setting positions in both forward and reverse
- Full teasing trigger for great control
- Rubber grip for a durable and comfortable
- Quite and handle exhaust




Specification

Model No.	Square Drive		Free Speed		Max. Torque		Avg. Air Cons.		Overall Length		Net Weight		Air Hose	Sound Pressure	Vibration Level	Air Inlet	Clutch Type
	inch	mm	rpm	ft-lb	Nm	cfm	l/min	inch	mm	lb	kg	inch	dBA	m/s ²	inch	inch	
PW-0410	1/2		8500	750	1017	7.4	209.5	4.4	113	3.3	1.5	3/8	85	2.8	1/4	Twin Hammer	

PW-0413 Compared with other products

1/2" Light/Mini Metal Air Impact Wrench



POWER Torque Increase 55%

WEIGHT Weight Reduce 9.5%

Features

- Best power-weight ratio : 949Nm and 1.4kg on weight
- Ultra compact 104mm in tool length
- Durable jumbo hammer impact mechanism
- Housing made of steel and aluminum
- 3 setting positions in both forward and reverse
- Full teasing trigger for great control
- Rubber grip for a durable and comfortable
- Quite and handle exhaust



Specification

Model No.	Square Drive		Free Speed		Max. Torque		Avg. Air Cons.		Overall Length		Net Weight		Air Hose	Sound Pressure	Vibration Level	Air Inlet	Clutch Type
	inch	mm	rpm	ft-lb	Nm	cfm	l/min	inch	mm	lb	kg	inch	dBA	m/s ²	inch	inch	
PW-0413	1/2		10000	700	949	7.4	209.5	4.1	104	3	1.4	3/8	94	2.8	1/4	Jumbo Hammer	

NEW **Impact Wrench**



PW-0403 3/8" Light/Mini Metal Air Impact Wrench

- Best power-weight ratio : 610Nm and 1.4kg on weight
- Ultra compact 99mm in tool length
- Durable jumbo hammer impact mechanism
- Housing made of steel and aluminum
- 3 setting positions in both forward and reverse
- Full teasing trigger for great control
- Rubber grip for a durable and comfortable
- Quite and handle exhaust



PW-0600 3/4" Light/Mini Metal Air Impact Wrench

- Powerful 1490Nm of max reverse torque
- Only 2.6kg on weight and 177mm in tool length
- Durable twin hammer impact mechanism
- Housing made of steel and aluminum
- 3 setting positions in both forward and reverse
- Full teasing trigger for great control
- Rubber grip for a durable and comfortable
- Quite and handle exhaust



PW-0805 1" Light/Mini Metal Air Impact Wrench

- Powerful 2440Nm of max reverse torque
- Only 5.5kg on weight and 240mm in tool length
- Durable twin hammer impact mechanism
- Anvil made of alloy steel with triple cycle heat treatment
- Rigid twin hammer housing made of hot forged steel
- Housing made of steel and aluminum
- 3 setting positions in both forward and reverse
- Full teasing trigger for great control
- Rubber grip for a durable and comfortable
- Quite and handle exhaust

Specification

Model No.	Square Drive	Free Speed	Max. Torque		Avg. Air Cons.		Overall Length		Net Weight		Air Hose	Sound Pressure	Vibration Level	Air Inlet	Clutch Type
	inch	rpm	ft-lb	Nm	cfm	l/min	inch	mm	lb	kg	inch	dBa	m/s ²	inch	inch
PW-0403	3/8	11000	450	610	4	209.5	3.9	99	3	1.4	3/8	85	2.8	1/4	Jumbo Hammer
PW-0600	3/4	7200	1100	1490	5.5	155	7	177	5.8	2.6	3/8	85	2.8	1/4	Twin Hammer
PW-0805	1	4500	1800	2440	11.3	320	9.4	240	11.9	5.5	3/8	97	6.1	1/4	Twin Hammer



Impact Wrench



PW-0300 3/8" Metal Air Impact Wrench

- 3/8" square drive
- Powerful 474Nm of max reverse torque
- 1.5kg on weight and 142mm in tool length
- Durable twin hammer impact mechanism
- Housing made of steel and aluminum
- 3 setting positions in both forward and reverse
- Full teasing trigger for great control
- Rubber grip for a durable and comfortable
- Muffled handle exhaust for low noise



PW-0402 1/2" Metal Air Impact Wrench

- 1/2" square drive
- Powerful 675Nm of max reverse torque
- 1.4kg on weight and 108mm in tool length
- Durable twin hammer impact mechanism
- Housing made of steel and aluminum
- 3 setting positions in both forward and reverse
- Full teasing trigger for great control
- Rubber grip for a durable and comfortable
- Muffled handle exhaust for low noise



PW-0411 1/2" Heavy Duty Metal Air Impact Wrench

- 1/2" square drive
- Powerful 1356Nm of max reverse torque
- 2.6kg on weight and 171mm in tool length
- Durable twin hammer impact mechanism
- Housing made of steel and aluminum
- 3 setting positions in both forward and reverse
- Full teasing trigger for great control
- Rubber grip for a durable and comfortable
- Muffled handle exhaust for low noise



PW-0601 3/4" Heavy Duty Metal Air Impact Wrench

- 3/4" square drive
- Powerful 1898Nm of max reverse torque
- 5kg on weight and 215mm in tool length
- Durable twin hammer impact mechanism
- Housing made of steel and aluminum
- 3 setting positions in both forward and reverse
- Full teasing trigger for great control
- Rubber grip for a durable and comfortable
- Muffled handle exhaust for low noise



PW-0412 1/2" Heavy Duty Metal Air Impact Wrench

- 1/2" square drive
- Powerful 1220Nm of max reverse torque
- 1.8kg on weight and 141mm in tool length
- Durable twin hammer impact mechanism
- Housing made of steel and aluminum
- 3 setting positions in both forward and reverse
- Full teasing trigger for great control
- Rubber grip for a durable and comfortable
- Muffled handle exhaust for low noise



PW-0802 1" Heavy Duty Air Impact Wrench

- 1" square drive
- Powerful 2033Nm of max reverse torque
- 5.1kg on weight and 222mm in tool length
- Durable twin hammer impact mechanism
- Housing made of steel and aluminum
- 3 setting positions in both forward and reverse
- Full teasing trigger for great control
- Rubber grip for a durable and comfortable
- Muffled handle exhaust for low noise

Specification

Model No.	Square Drive		Free Speed		Max. Torque		Avg. Air Cons.		Overall Length		Net Weight		Air Hose	Sound Pressure	Vibration Level	Air Inlet	Clutch Type
	inch	rpm	ft-lbs	Nm	cfm	l/min	inch	mm	lb	kg	inch	dB	m/s ²	inch	inch		
PW-0300	3/8	11000	350	474	4	113	5.6	142	3.3	1.5	3/8	87	3.1	1/4	Twin Hammer		
PW-0411	1/2	7200	1000	1356	8.1	230	6.7	171	5.7	2.6	3/8	87	4.5	1/4	Twin Hammer		
PW-0412	1/2	9000	900	1220	5.1	144	5.6	141	4	1.8	3/8	94	2.8	1/4	Twin Hammer		

Specification

Model No.	Square Drive		Free Speed		Max. Torque		Avg. Air Cons.		Overall Length		Net Weight		Air Hose	Sound Pressure	Vibration Level	Air Inlet	Clutch Type
	inch	rpm	ft-lb	Nm	cfm	l/min	inch	mm	lb	kg	inch	dB	m/s ²	inch	inch		
PW-0402	1/2	11000	500	675	7.1	200	4.3	108	3.1	1.4	3/8	95	3.1	1/4	Twin Hammer		
PW-0601	3/4	4500	1400	1898	5.4	153	8.5	215	11	5	3/8	97	6.1	1/4	Twin Hammer		
PW-0802	1	4500	1500	2033	5.4	153	8.7	222	11.2	5.1	3/8	97	6.1	1/4	Twin Hammer		

Impact Wrench



PW-7301 3/8" Composite Impact Wrench

- Powerful 610Nm of max reverse torque
- 1.3kg on weight and 160mm in tool length
- Durable twin hammer impact mechanism
- 3 forward power setting and full power reverse
- Integrated cylinder and rear end plate for stable output and easy maintenance
- Full teasing trigger for great control
- Rubber grip for a durable and comfortable
- Quite and handle exhaust
- 360° swivel air inlet



PW-7601 3/4" Composite Air Impact Wrench

- Powerful 2033Nm of max reverse torque
- 3.7kg on weight and 220mm in tool length
- Durable twin hammer impact mechanism
- 3 forward power setting and full power reverse
- Integrated cylinder and rear end plate for stable output and easy maintenance
- Full teasing trigger for great control
- Rubber grip for a durable and comfortable
- Quite and handle exhaust
- 360° swivel air inlet



PW-7411 1/2" Composite Air Impact Wrench

- Powerful 1112Nm of max reverse torque
- 2.2kg on weight and 190mm in tool length
- Durable twin hammer impact mechanism
- 3 forward power setting and full power reverse
- Integrated cylinder and rear end plate for stable output and easy maintenance
- Full teasing trigger for great control
- Rubber grip for a durable and comfortable
- Quite and handle exhaust
- 360° swivel air inlet



PW-7602 3/4" Composite Air Impact Wrench

- Powerful 1112Nm of max reverse torque
- 2.3kg on weight and 210mm in tool length
- Durable twin hammer impact mechanism
- 3 forward power setting and full power reverse
- Integrated cylinder and rear end plate for stable output and easy maintenance
- Full teasing trigger for great control
- Rubber grip for a durable and comfortable
- Quite and handle exhaust
- 360° swivel air inlet



PW-7412 1/2" Composite Air Impact Wrench

- Powerful 745Nm of max reverse torque
- 1.3kg on weight and 160mm in tool length
- Durable twin hammer impact mechanism
- 3 forward power setting and full power reverse
- Integrated cylinder and rear end plate for stable output and easy maintenance
- Full teasing trigger for great control
- Rubber grip for a durable and comfortable
- Quite and handle exhaust
- 360° swivel air inlet



PW-7800 1" Composite Air Impact Wrench

- Powerful 2033Nm of max reverse torque
- 3.8kg on weight and 230mm in tool length
- Durable twin hammer impact mechanism
- 3 forward power setting and full power reverse
- Integrated cylinder and rear end plate for stable output and easy maintenance
- Full teasing trigger for great control
- Rubber grip for a durable and comfortable
- Quite and handle exhaust
- 360° swivel air inlet

Specification

Model No.	Square Drive		Free Speed		Max. Torque		Avg. Air Cons.		Overall Length		Net Weight		Air Hose	Sound Pressure	Vibration Level	Air Inlet	Clutch Type
	inch	rpm	ft-lbs	Nm	cfm	l/min	inch	mm	lb	kg	inch	mm	inch	dB(A)	m/s ²	inch	inch
PW-7301	3/8	8000	450	610	1.2	120	6.3	160	2.8	1.3	3/8		89.5	4.8	1/4	Twin Hammer	
PW-7411	1/2	8500	820	1112	4.6	132	7.5	190	4.9	2.2	3/8		90.9	8.1	1/4	Twin Hammer	
PW-7412	1/2	11000	550	745	4.2	120	6.3	160	2.8	1.3	3/8		85.2	4.6	1/4	Twin Hammer	

Specification

Model No.	Square Drive		Free Speed		Max. Torque		Avg. Air Cons.		Overall Length		Net Weight		Air Hose	Sound Pressure	Vibration Level	Air Inlet	Clutch Type
	inch	rpm	ft-lb	Nm	cfm	l/min	inch	mm	lb	kg	inch	mm	inch	dB(A)	m/s ²	inch	inch
PW-7601	3/4	5500	1500	2033	7	198	8.7	220	8.1	3.7	1/2		96.9	8.6	1/4	Twin Hammer	
PW-7602	3/4	8500	820	1112	4.6	130	8.3	210	4.6	2.3	3/8		90.9	8.1	1/4	Twin Hammer	
PW-7800	1	5500	1500	2033	7	198	9.1	230	8.3	3.8	1/2		96.9	8.6	1/4	Twin Hammer	

Impact Wrench



PW-7410 1/2" Mini Composite Air Impact Wrench

- Powerful 1282Nm of max reverse torque
- Durable twin hammer impact mechanism
- One handed forward-reverse switch
- Lightweight composite housing
- Injected TPR grip handle
- Handle exhaust system



PW-7206 3/4" Composite Air Impact Wrench

- Powerful 1282Nm of max reverse torque
- Durable rocking dog impact mechanism
- One handed forward-reverse switch
- Lightweight composite housing
- Injected TPR grip handle
- Handle exhaust system



PW-0460 1/2" Heavy Duty Air Impact Wrench with 2" Extended Anvil

- 2" extended anvil
- Durable twin hammer impact mechanism
- 5 positions in forward & 1 position in reverse
- Two-piece construction for easy maintenance



PW-0401 1/2" Heavy Duty Air Impact Wrench

- Durable twin hammer impact mechanism
- 5 positions in forward & 1 position in reverse
- Two-piece construction for easy maintenance



PW-0307 3/8" Heavy Duty Air Impact Wrench

- Powerful 176Nm of max reverse torque
- Durable rocking dog impact mechanism
- Durable lightweight aluminum housing
- One hand operated forward and reverse lever
- 4 power settings

Specification

Model No.	Square Drive		Free Speed		Max. Torque		Avg. Air Cons.		Overall Length		Net Weight		Air Hose	Sound Pressure	Vibration Level	Air Inlet	Clutch Type
	inch	rpm	ft-lbs	Nm	cfm	l/min	inch	mm	lb	kg	inch	dba	m/s ²	inch	inch		
PW-7410	1/2	10000	450	610	4	113	4.6	125	2.8	1.3	3/8	85	2.8	1/4	Twin Hammer		
PW-7206	1/4	11000	50	67	3	85	6.5	166	1.5	0.7	3/8	94	<2.5	1/4	Rocking Dog		

Specification

Model No.	Square Drive		Free Speed		Max. Torque		Avg. Air Cons.		Overall Length		Net Weight		Air Hose	Sound Pressure	Vibration Level	Air Inlet	Clutch Type
	inch	rpm	ft-lb	Nm	cfm	l/min	inch	mm	lb	kg	inch	dba	m/s ²	inch	inch		
PW-0406	1/2	8000	550	745	5	142	7.4	188	5.7	2.6	3/8	97.1	8.2	1/4	Twin Hammer		
PW-0401	1/2	8000	550	745	5	142	7.4	188	5.7	2.6	3/8	97.1	8.2	1/4	Twin Hammer		
PW-0307	3/8	11000	130	176	3.7	103	5.6	143	2.6	1.2	3/8	8.8	5.8	1/4	Rocking Dog		

Impact Wrench



- PW-0406** 1/2" Heavy Duty Metal Air Impact Wrench
- Classic and most popular impact wrench made in Taiwan
 - Powerful 354Nm of max reverse torque
 - Durable rocking dog impact mechanism
 - One hand operation
 - Rubber nose guard and protected the housing for long life



- PW-0405** 1/2" Heavy Duty Air Impact Wrench
- Powerful 543Nm of max reverse torque
 - Durable pin clutch impact mechanism
 - One handed forward-reverse push button
 - 4 positions in forward & 1 position in reverse
 - Handle exhaust



- PW-0606** 3/4" Heavy Duty Air Impact Wrench
- Powerful 814Nm of max reverse torque
 - Durable rocking dog impact mechanism
 - One handed forward-reverse push button
 - Rubber protective nosepiece
 - Handle exhaust



- PW-7413** 1/2" Heavy Duty Composite Air Impact Wrench
- Powerful 1220Nm of max reverse torque
 - Durable twin hammer impact mechanism
 - 4 power settings in forward and 1 in reverse
 - The best power to weight ratio in its class
 - Comfortable TPR grip



- PW-7403** 1/2" Composite Air Impact Wrench
- Powerful 800Nm of max reverse torque
 - Durable twin hammer impact mechanism
 - One hand operation
 - Low air consumption and high torque
 - Rear exhaust



- PW-0902** 1-1/2" Heavy Duty Air Impact Wrench
- Powerful 2600Nm of max reverse torque
 - Durable twin hammer impact mechanism
 - Outside grip trigger
 - 3 positions in both forward and reverse
 - Muffled handle exhaust for low noise

Specification

Model No.	Square Drive		Free Speed		Max. Torque		Avg. Air Cons.		Overall Length		Net Weight		Air Hose	Sound Pressure	Vibration Level	Air Inlet	Clutch Type
	inch	rpm	ft-lbs	Nm	cfm	l/min	inch	mm	lb	kg	inch	dB	m/s ²	inch	inch	inch	
PW-0406	1/2	7000	260	354	3.8	107	7	178	4.8	2.2	3/8	91.6	5.4	1/4	Rocking Dog		
PW-0405	1/2	8000	400	543	4.5	120	7.8	195	5.3	2.4	3/8	86	5.1	1/4	Pin Clutch		
PW-0606	3/4	4800	600	814	7.2	205	9.5	243	10.6	4.8	3/8	95	6.1	1/4	Rocking Dog		

Specification

Model No.	Square Drive		Free Speed		Max. Torque		Avg. Air Cons.		Overall Length		Net Weight		Air Hose	Sound Pressure	Vibration Level	Air Inlet	Clutch Type
	inch	rpm	ft-lb	Nm	cfm	l/min	inch	mm	lb	kg	inch	dB	m/s ²	inch	inch	inch	
PW-7413	1/2	8500	1085	1220	6.7	190	7.8	197	5.1	2.3	3/8	97.1	8.2	1/4	Twin Hammer		
PW-7403	1/2	6800	746	1085	6	170	7.5	190	4.2	1.9	3/8	92	4.5	1/4	Twin Hammer		
PW-0902	1-1/2	2800	4320	4882	9	255	17.1	435	39	17.7	1	96.1	6.6	1/4	Twin Hammer		

Impact Wrench



PW-0306 3/8" Butterfly Air Impact Wrench

- Powerful 237Nm of max reverse torque
- Durable rocking dog impact mechanism
- Lightweight aluminum housing on 2.3kg
- One hand operated forward and reverse throttle
- 360° swivel air inlet



PW-9200 1/4" Air Impact Wrench Kit

- Aluminum housing and long lasting motor with Iron plate
- Great control with full teasing trigger
- One hand operated forward and reverse lever
- 4 positions in both forward and reverse

Contents

- 1/4" Air Impact Wrench
- 1/4" Socket w/ 6 Point : 8, 9,10, 11,12mm
- 1/4" Universal Joint
- 1/4" Extension Bar (3" length)
- Regulator



PW-7302 3/8" Heavy Duty Air Angle Impact Wrench

- Suitable for 3/8" square drive
- 2" head height for reaching confined areas
- Durable jumbo hammer impact mechanism
- one hand operated forward/ reverse ring
- 2 forward power settings
- Feather-touch trigger



PW-7411K 1/2" Composite Air Impact Wrench Kit

- Durable twin hammer impact mechanism
- 3 forward power setting and full power reverse
- Integrated cylinder and rear end plate for stable output and easy maintenance
- Full teasing trigger for great control
- Rubber grip for a durable and comfortable
- Quite and handle exhaust
- 360° swivel air inlet

Contents

- 1/2" Air Impact Wrench
- 1/2" 125 mm Extend Bar
- 1/2" Universal Joint
- 1/4" Air Inlet
- Mini Oiler
- 1/2" Sockets 9,10,11,13,14, 17,19,21,22,24,27mm



PW-7420 1/2" Heavy Duty Air Angle Impact Wrench

- Suitable for 1/2" square drive
- 2" head height for reaching confined areas
- Durable jumbo hammer impact mechanism
- one hand operated forward/ reverse ring
- 2 forward power settings
- Feather-touch trigger



PW-7412K 1/2" Composite Air Impact Wrench Kit

- Durable twin hammer impact mechanism
- 3 forward power setting and full power reverse
- Integrated cylinder and rear end plate for stable output and easy maintenance
- Full teasing trigger for great control
- Rubber grip for a durable and comfortable
- Quite and handle exhaust
- 360° swivel air inlet

Contents

- 1/2" Air Impact Wrench
- 1/2" 125 mm Extend Bar
- 1/2" Universal Joint
- 1/4" Air Inlet
- Mini Oiler
- 1/2" Sockets 9,10,11,13,14, 17,19,21,22,24,27mm

Specification

Model No.	Square Drive	Free Speed	Max. Torque		Avg. Air Cons.		Overall Length		Net Weight		Air Hose	Sound Pressure	Vibration Level	Air Inlet	Clutch Type
	inch	rpm	ft-lbs	Nm	cfm	l/min	inch	mm	lb	kg	inch	dBa	m/s ²	inch	inch
PW-0306	3/8	9000	175	237	8.5	240	6.5	166	2.3	1.1	3/8	102.1	9	1/4	Rocking Dog
PW-7302	3/8	7000	200	271	5.5	156	13.4	341	4	1.8	3/8	97	43.5	1/4	Jumbo Hammer
PW-7420	1/2	7100	200	271	5.5	156	13.4	341	4	1.8	3/8	97	43.5	1/4	Jumbo Hammer

Specification

Model No.	Square Drive	Free Speed	Max. Torque		Avg. Air Cons.		Overall Length		Net Weight		Air Hose	Sound Pressure	Vibration Level	Air Inlet	Clutch Type
	inch	rpm	ft-lb	Nm	cfm	l/min	inch	mm	lb	kg	inch	dBa	m/s ²	inch	inch
PW-9200	1/2	11000	29.5	40	5.3	150	5.4	136	0.8	0.4	3/8	92	3.4	1/4	Rocking Dog
PW-7411K	1/2	8500	820	1112	4.6	132	7.5	190	4.9	2.2	3/8	90.9	8.1	1/4	Twin Hammer
PW-7412K	1/2	11000	550	745	4.2	120	6.3	160	2.8	1.3	3/8	85.2	4.6	1/4	Twin Hammer